

Material Safety Data Sheet

Revision Date: 2/20/91

NA = Not Applicable NE = Not Established

Section 5. Health Hazard Data

OSHA PEL: NA

ACGIH TLV: NA

Carcinogen – NTP Program: No

Carcinogen – IARC Program: No

Symptoms of Exposure: Ingestion: May cause burns and abdominal pain. Skin: May cause irritation. Eye contact: Can cause burns.

Medical Conditions Aggravated by Exposure: NA

Routes of Entry: Ingestion, Skin, Eye Contact

Emergency and First Aid Procedures:

This material is alkaline, and thus the primary toxic effect will be due to corrosivity.

Swallowing: Dilute with water or milk. Do not induce vomiting. Seek medical attention immediately.

Eye Contact: Immediately flush well with large amounts of water. Seek medical attention immediately.

Skin Contact: Wash affected area with soap and water.

Section 6. Reactivity Data

Stability: Stable

Conditions to Avoid: None

Incompatibility (Materials to Avoid Contact): None

Hazardous Decomposition or By-Products: Burning can produce alkaline sodium salts, CO₂, CO and oxides of silicone.

Hazardous Polymerization: Will not occur.

Section 7. Procedures for Safe Handling and Use

Spill Response: Small spills can be flushed with water. Larger spills, use an absorbent (i.e., sand).

Waste Disposal Method: Land fill according to federal, state and local regulations.

Section 8. Control Measures

Eye Protection: Splash goggles

Respiratory Protection: Use NIOSH approved mist respirator

Skin Protection: Rubber or plastic gloves.

Ventilation: Local exhaust recommended where necessary.

Other Protection: NA

Material Safety Data Sheet

Revision Date: 2/20/91

NA = Not Applicable NE = Not Established

Section 9. Special Precautions

Hygienic Practices in Handling and Storage: Avoid contact with eyes, skin or clothing.

Precautions for Repair and Maintenance of Contaminated Equipment: NA

Other Precautions: Keep from freezing.